ELSEVIER

Electroencephalography and clinical Neurophysiology 105 (1997) 509–511

# Table of Contents

## VOLUME 105 (1997)

*Instructions to Authors* v

MAIN ARTICLES

Towards a neurophysiological marker of amyotrophic lateral sclerosis as revealed by changes in cortical excitability
M.T. Desiato, M.D. Caramia (Italy) 1

Cortico-bulbar fibers to orofacial muscles: recordings with enoral surface electrodes
P.P. Urban, S. Beer, H.C. Hopf (Germany) 8

Tongue motor responses following transcranial magnetic stimulation of the motor cortex and proximal hypoglossal nerve in man
B.-U. Meyer, R. Liebsch, S. Röricht (Germany) 15

Suppression of spatial localization of a cutaneous stimulus following transcranial magnetic pulse stimulation of the sensorimotor cortex
M. Seyal, I. Siddiqui, N.S. Hundal (USA) 24

Magnetic transcranial stimulation: dissociation of excitatory and inhibitory mechanisms in acute strokes
A. Catano, M. Houa, P. Noël (Belgium) 29

Motor evoked responses to paired cortical magnetic stimulation in Parkinson's disease
F. Valzania, A.P. Strafella, R. Quatrale, M. Santangelo, A. Tropeani, D. Lucchi, C.A. Tassinari, D. De Grandis (Italy) 37

Sternocleidomastoid muscle responses to transcranial magnetic stimulation in patients with cervical dystonia
T. Odergren, I. Rimpiläinen, J. Borg (Sweden, Finland) 44

A fully automated system for the evaluation of masseter silent periods
B.J. Connemann, P.P. Urban, V. Lüttkopf, H.C. Hopf (Germany) 53

Evidence of a preprogrammed deactivation of the hamstring muscles for triggering rapid changes of posture in humans
G. Cheron, A. Bengoetxea, T. Pozzo, M. Bourgeois, J.P. Draye (Belgium, France) 58

Cortico-spinal pathways and inhibitory mechanisms in hepatic encephalopathy
M. Nolano, M.A. Guardascione, L. Amitrano, A. Perretti, F. Fiorillo, A. Ascione, L. Santoro, G. Caruso (Italy) 72

Bony foramina facilitate magnetic stimulation: an experimental cat sciatic nerve model
M. Kobayashi, T. Ohira, A. Nakamura, K. Gotoh, S. Toya (Japan) 79

Effects of transcranial electrical and magnetic stimulation on reciprocal inhibition in the human arm
B. Mercuri, E.M. Wassermann, K. Ikoma, A. Samii, M. Hallett (USA) 87

Responses of human single motor units to transcranial magnetic stimulation
S.J. Garland, T.S. Miles (Australia) 94

Magnetic stimulation of the lumbosacral vertebral column in children: normal values and possible sites of stimulation
Y. Maegaki, Y. Maeoka, K. Takeshita (Japan) 102

Silent period in upper limb muscles after noxious cutaneous stimulation in man
M. Inghilleri, G. Cruccu, M. Argenta, L. Polidori, M. Manfredi (Italy) 109

A new method for reproducible coil positioning in transcranial magnetic stimulation mapping
P.C. Miranda, M. de Carvalho, I. Conceição, M.L.S. Luis, E. Ducla-Soares (Portugal) 116

Effects of vigabatrin on motor potentials evoked with magnetic stimulation
N. Mavroudakis, J.M. Caroyer, E. Brunko, D. Zegers de Beyl (Belgium) 124

Magnetic stimulation of the descending and ascending tracts at the foramen magnum level
Y. Ugawa, Y. Uesaka, Y. Terao, R. Hanajima, I. Kanazawa (Japan) 128

ECG-related fasciculation potential
G. Roth, S. Egloff-Baer (Switzerland) 132

Comparison of soleus H-reflex gain from prone to standing in dancers and controls
R.G. Mynark, D.M. Koceja (USA) 135

0168-5597/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
*PII* S0924-980X(97)00069-6

EEM 10007

Clinical use of polysynaptic flexion reflexes in the management of spasticity with intrathecal baclofen
M. Parise, L. García-Larrea, P. Mertens, M. Sindou, F. Mauguière (France) 141
Electromyographic analysis of postural responses during standing leg flexion in adults with hemiparesis
L.D. Hedman, M.W. Rogers, Y.-C. Pai, T.A. Hanke (USA) 149
Effects of experimental muscle pain on muscle activity and co-ordination during static and dynamic motor function
T. Graven-Nielsen, P. Svensson, L. Arendt-Nielsen (Denmark) 156
Sympathetic skin responses of the hand in normal subjects: shorter latency at distal phalanx
N. Kanzato, Y. Komine, K. Fukiyama (Japan) 165
Functional involvement of central nervous system in mitochondrial disorders
V. Di Lazzaro, D. Restuccia, S. Servidei, M. Valeriani, R. Nardone, G. Manfredi, G. Silvestri, E. Ricci, P. Tonali (Italy) 171
Motor unit size estimation: confrontation of surface EMG with macro EMG
K. Roeleveld, D.F. Stegeman, B. Falck, E.V. Stålberg (The Netherlands, Sweden) 181
Clinical value of F-wave recordings in traumatic cervical spinal cord injury
A. Curt, M.E. Keck, V. Dietz (Switzerland) 189
Reflexes evoked in human erector spinae muscles by tapping during voluntary activity
T. Tani, H. Yamamoto, M. Ichimiya, J. Kimura (Japan) 194
Sequential changes of auditory processing during target detection: motor responding versus mental counting
A. Starr, T. Aguinaldo, M. Roe, H.J. Michalewski (USA) 201
Clinical multisegmental posturography: age-related changes in stance control
N. Accornero, M. Capozza, S. Rinalduzzi, G.W. Manfredi (Italy) 213
Task-dependence of muscle afferent monosynaptic inputs to human extensor carpi radialis motoneurones
A. Schmied, J.-P. Vedel, S. Calvin-Figuière, C. Rossi-Durand, S. Pagni (France) 220
Silent period following transcranial magnetic stimulation: a study of intra- and inter-examiner reliability
C. Fritz, H.J. Braune, C. Pylatiuk, M. Pohl (Germany) 235
Absence of facilitation or depression of motor evoked potentials after contralateral homologous muscle activation
A. Samii, M. Caños, K. Ikoma, E.M. Wassermann, M. Hallett (USA) 241
Rapid-rate transcranial magnetic stimulation of human frontal cortex can evoke saccades under facilitating conditions
J. Li, J. Olson, S. Anand, J. Hotson (USA) 246
Temporal changes of pyramidal tract activities after decision of movement: a study using transcranial magnetic stimulation of the motor cortex in humans
M. Hoshiyama, R. Kakigi, S. Koyama, Y. Takeshima, S. Watanabe, M. Shimojo (Japan) 255
Facilitatory effect of thinking about movement on magnetic motor-evoked potentials
L. Kiers, B. Fernando, D. Tomkins (Australia) 262
Reversible changes of motor cortical outputs following immobilization of the upper limb
G. Zanette, M. Tinazzi, C. Bonato, A. di Summa, P. Manganotti, A. Polo, A. Fiaschi (Italy) 269
Crossed and direct effects of digital nerves stimulation on motor evoked potential: a study with magnetic brain stimulation
P. Manganotti, G. Zanette, C. Bonato, M. Tinazzi, A. Polo, A. Fiaschi (Italy) 280
Magnetic transcranial stimulation: clinical interest of the silent period in acute and chronic stages of stroke
A. Catano, M. Houa, P. Noël (Belgium) 290
Magnetic stimulation study in patients with myotonic dystrophy
M. Oliveri, F. Brighina, V. La Bua, A. Aloisio, D. Buffa, B. Fierro (Italy) 297
Relationship between the degree of inhibited stretch reflex activities of the wrist flexor and reaction time during quick extension movements
T. Kizuka, T. Asami, K. Tanii (Japan) 302
Fatigue effects on body balance
A. Nardone, J. Tarantola, A. Giordano, M. Schieppati (Italy) 309
Conduction block and segmental velocities in carpal tunnel syndrome
G. Di Guglielmo, F. Torrieri, M. Repaci, A. Uncini (Italy) 321
Functional properties of motor units in motor neuron diseases and neuropathies
Th. Vogt, W.A. Nix (Germany) 328
Temporal changes of pyramidal tract activities after decision of movement: a study using transcranial magnetic stimulation of the motor cortex in humans
M. Hoshiyama, R. Kakigi, S. Koyama, Y. Takeshima, S. Watanabe, M. Shimojo (Japan) 255
Facilitatory effect of thinking about movement on magnetic motor-evoked potentials
L. Kiers, B. Fernando, D. Tomkins (Australia) 262
Reversible changes of motor cortical outputs following immobilization of the upper limb
G. Zanette, M. Tinazzi, C. Bonato, A. di Summa, P. Manganotti, A. Polo, A. Fiaschi (Italy) 269
Crossed and direct effects of digital nerves stimulation on motor evoked potential: a study with magnetic brain stimulation
P. Manganotti, G. Zanette, C. Bonato, M. Tinazzi, A. Polo, A. Fiaschi (Italy) 280
Magnetic transcranial stimulation: clinical interest of the silent period in acute and chronic stages of stroke
A. Catano, M. Houa, P. Noël (Belgium) 290

Magnetic stimulation study in patients with myotonic dystrophy
M. Oliveri, F. Brighina, V. La Bua, A. Aloisio, D. Buffa, B. Fierro (Italy) 297
Relationship between the degree of inhibited stretch reflex activities of the wrist flexor and reaction time during quick extension movements
T. Kizuka, T. Asami, K. Tanii (Japan) 302
Fatigue effects on body balance
A. Nardone, J. Tarantola, A. Giordano, M. Schieppati (Italy) 309
Conduction block and segmental velocities in carpal tunnel syndrome
G. Di Guglielmo, F. Torrieri, M. Repaci, A. Uncini (Italy) 321
Functional properties of motor units in motor neuron diseases and neuropathies
Th. Vogt, W.A. Nix (Germany) 328
Safety of different inter-train intervals for repetitive transcranial magnetic stimulation and recommendations for safe ranges of stimulation parameters
R. Chen, C. Gerloff, J. Classen, E.M. Wassermann, M. Hallett, L.G. Cohen (USA) 415
Rapid rate transcranial magnetic stimulation a safety study
M. Jahanshahi, M.C. Ridding, P. Limousin, P. Profice, W. Fogel, D. Dressler, R. Fuller, R.G. Brown, P. Brown, J.C. Rothwell (UK, Italy, Germany) 422
Changes in human motor cortex excitability induced by dopaminergic and anti-dopaminergic drugs
U. Ziemann, F. Tergau, D. Bruns, J. Baudewiq, W. Paulus (Germany) 430
Post-stroke reorganization of brain motor output to the hand: a 24 month follow-up with focal magnetic transcranial stimulation
P. Cicinelli, R. Traversa, P.M. Rossini (Italy) 438
Diverse abnormalities of corticomotoneuronal projections in individual patients with amyotrophic lateral sclerosis
M. Nakajima, A. Eisen, H. Stewart (Canada) 451
Central motor conduction time by magnetic stimulation of the cortex and peripheral nerve conduction follow-up studies in Friedreich's ataxia
A. Cruz-Martínez, F. Palau (Spain) 458
Transcranial magnetic double stimulation: influence of the intensity of the conditioning stimulus
M. Schäfer, J.C. Biesecker, A. Schulze-Bonhage, A. Ferbert (Germany) 462
H-reflexes of different sizes exhibit differential sensitivity to low frequency depression
M.K. Floeter, A.F. Kohn (USA) 470
EMG responses in the soleus muscles evoked by unipolar galvanic vestibular stimulation
S.R.D. Watson, J.G. Colebatch (Australia) 476
Spinal reflex pattern to foot nociceptive stimulation in standing humans
B. Decchi, A. Zalaffi, R. Spidalieri, U. Arrigucci, A.M. Di Troia, A. Rossi (Italy) 484
Gait analysis during treadmill and overground locomotion in children and adults
H. Stolze, J.P. Kuhtz-Buschbeck, C. Mondwurf, A. Boczek-Funcke, K. Jöhnk, G. Deuschl, M. Illert (Germany) 490

*Index of Authors to Volume 105 (1997)* 498

*Index of Subjects to Volume 105 (1997)* 502

*Table of Contents to Volume 105 (1997)* 509